GENERAL DYNAMICS NASSCO - SDS REVIEW FORM

Requesting Department or Contractor			
Request date:	[Date product is needed:	
Requester's Name:	Badge numb	per (If applicable):	Phone:
E-mail address:			
Company / Dept.:	Mar	nager:	Phone:
PRODUCT INFORMATION			
Manufacturer: Product name:			
oduct Code / No.: NASSCO Part No.:			
Purpose:			
Product is Applied to: Wood, St ☐ Other:	teel, Stainle	ess Steel, Aluminum,	Painted Surface, Not Applicable
VOC Content Are secondary container labels needed? Yes No			
Physical Properties: Gas, Liquid, Dry Powder or Granules, Solid, Paste, Aerosol			
Product is used as a (☑ all that apply Lubricant Fuel, Other:	y): Paint,	Primer, Paint Thinner,	Cleaning Solvent, Adhesive,
Will the product be diluted before use? No Yes: % of full strength.			
Will the product be mixed with another product? No Yes:			
If yes, what? In what proportions?			
Shipping Container Size: Liquid Solid Other:			
PRODUCT USE:			
Rate of Use Within the Same Enclosed Work Area:			
Frequency of Use: 1-2 times/month, Several times/week, Daily or Almost Daily			
Duration of Use: Several min./shift, 1-2 hours/shift, 2-4 hours/shift, >4 hours/shift			
Number Of Workers Using The Product In The Same Area: 1, 2, 3, 4 or more			
The Material Will Be Dispensed, Applied, or Used (☑ all that apply):			
By Hand, Dipped Into, Troweled-On, Brushed, Mopped or Rolled-On, Poured, Aerosol Spray Can, Airless Sprayer, Trigger or Hand Pump Sprayer, Dry-Blown, Heat Applied, Special Applicator,			
Cut, Fabricated, or Installed, Used As Lubricant, Used As Fuel, Hot Worked After Application,			
Sanded, Ground, or Reduced to Dust After Application, Direct Skin Contact With Material or Chemical,			
Other: Work Environment: Ventilation:			
Work Environment:			
Outdoors		Limited Natural Ventilation (Non-Mechanical)	
Partially Open Enclosed Spaces		Good Natural Ventilation (Non-Mechanical)	
Fully Enclosed Spaces		General Area Exhaust Ventilation (Mechanical)	
Tanks or Confined Spaces		Local Exhaust Ventilation (Mechanical)	